TRUSTILE®
A MARVIN BRAND

TRUSTILE WOOD ENTRY SYSTEMS

DESIGN THAT MOVES YOU™





See page B30 for product specs.

THE TRUSTILE STORY

Since 1995, TruStile has put design at the center of our products and processes. From the materials we select to our exacting craft and design, we engineer for quality that sets the tone for the whole home. In collaboration with our parent company, Marvin™, we have created a family of premium entry systems that don't just transform a space, but how you feel inside it. Make the entry to your new home a most welcoming invitation with an exceptional entrance by TruStile.

EXCELLENCE IN ENTRY SYSTEMS

TRUSTILE® A MARVIN BRAND

MARVIN®



TruStile Reserve™

System Code	TMF1000-103B
Layout	ES103
Door Style	TMF1000
Sidelite	DSG100
Wood Species	Mahogany
Finish	Ebony
Glass	White Lami

TRUSTILE WOOD ENTRY SYSTEMS

TABLE OF CONTENTS


Wood Entry Systems 4
TruStile Selection Guide 6
Architectural Styles Overview 8
Modern 10
Traditional 22
Modern Farmhouse 30
French Country 36
Coastal 42
Mediterranean 48
Craftsman 54
Cape Cod 60
Entry System Layouts 66
Style Reference Guide 68
Transom and Sidelite Options 76
Construction and Acetylation. 78
Profile Options and Mull Construction 80
Wood Species and Stain Options. 82
Hinge, Sill and Glass Options 84
Entry Systems Comparison and Warranty 86
Door Design Tool 88

TRUSTILE ENTRY SYSTEMS MATERIAL CONSTRUCTION



Resilient™ Wood Entry System

The Resilient Wood Entry System sets the tone of quality for the whole home using the most durable painted construction without sacrificing any design options.



- Engineered with resilient Accoya®, an acetylated wood product, which brings unprecedented reliability and durability to wood.
- Tricoya® top layers provide exceptional stability, durability and paintability for outdoor applications.
- Most configurations delivered pre-hung with a premium prime finish that's ready to paint.
- 10-year warranty with limited and no overhang applications, depending on system design specifications.


Choose the Material Best Suited for Your Project

Both material construction options have been extensively tested and proven in partnership with the Marvin™ Research and Development team.



Reserve™ Wood Entry System

The Reserve Wood Entry System elevates the refined elegance of your home with the beauty of stained natural wood.



- 10 natural wood species available with an extensive collection of premium factory stain options.
- Premium appearance standards ensure industry-leading grain and color matching.
- Engineered with a laminated veneer lumber (LVL) core and Tricoya® layers for exceptional stability and durability.
- 5-year limited warranty with industry standard overhang requirements.

TRUSTILE ENTRY SYSTEMS

TWO WAYS TO CREATE YOUR ENTRY SYSTEM

Start designing at
www. trustile.com/designtool
Details on page 88.

Select From Our Featured Entry Systems

We've created over 80 featured entry systems that capture the current trends of popular architectural styles. Start with the style most closely matching your vision for your home and tailor it to match your tastes and requirements.

Select From Over 80 Featured Entry Systems

See all options in each architectural section starting on page 8.



Modern | Traditional | Modern Farmhouse | French Country | Craftsman | Mediterranean | Coastal | Cape Cod

Or Build Your Own Entry System

Design your custom entry system in a few simple steps. Choose the right material for your project. Select from over 500 door styles and endless design options. Then finalize the details to your exact specifications.

1 Choose Material Construction




TruStile Resilient™



TruStile Reserve™

See construction details on pages 78-79.

2 Choose a System Layout




See all entry system layouts on pages 66-67.

3 Choose a Door Style



See over 500 door style options on pages 68-75.

4 Choose Sidelites & Transoms



Explore sidelite and transom options on pages 76 -77.



MODERN



TRADITIONAL



MODERN FARMHOUSE



FRENCH COUNTRY



COASTAL*



MEDITERRANEAN



CRAFTSMAN



CAPE COD

** Architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.*

Wood is a natural product and the finish and color will vary depending on the wood species and lighting on the job site. The images printed within this catalog are a representation of TruStile species and stain colors and do not replace seeing the stain and wood samples in person. Please visit your local TruStile dealer to request a factory finished stain sample.

ARCHITECTURAL STYLES

IMPACTFUL

SOPHISTICATED

AUTHENTIC

TruStile has curated over 80 featured designs across eight architectural styles to make it easy to find the right look for your new entrance.



Reverse configuration shown with right handing.

MODERN

SLEEK

CONTEMPORARY

STRIKING

TruStile **Reserve**™

System Code	TMIR6001-102B
Layout	ES102
Door Style	TMIR6001
Sidelite	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Mahogany
Finish	White Haze
Glass	Clear

TruStile **Resilient**™

System Code	TM3100-111B
Layout	ES111
Door Style	TM3100
Sidelite	DSG100
Transom	DSG100
Profile	SS Sticking
Wood Species	Resilient Wood
Finish	SW 7069 Iron Ore
Glass	Clear

TruStile **Reserve**™

System Code	TMIR9001-108A
Layout	ES108
Door Style	TMIR9001
Sidelite	FL100
Transom	TRG100
Profile	¼" Kerf Cut Reveal
Wood Species	Mahogany
Finish	Slate
Glass	Clear

Reverse configuration shown with Right Handing.



TruStile **Reserve**™

System Code	TM9340-105C
Layout	ES105
Door Style	TM9340
Sidelite	TM9340
Profile	¼" Kerf Cut Reveal
Wood Species	Rift Sawn White Oak
Finish	Grey Mist
Glass	White Lami




TruStile **Reserve**™

System Code	TMIR1002-102B
Layout	ES102
Door Style	TMIR1002
Sidelite	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Walnut
Finish	Ebony
Glass	Clear



TruStile **Reserve**™

System Code	TM6100-105A
Layout	ES105
Door Style	TM6100
Sidelite	TM1000
Profile	SS Sticking
Wood Species	Rift Sawn White Oak
Finish	White Haze
Glass	Clear



TruStile **Reserve**™

System Code	TMIR6000-106B
Layout	ES106
Door Style	TMIR6000
Sidelite	DSG100
Transom	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Mahogany
Finish	Cinnamon
Glass	Clear



TruStile **Resilient**™

System Code	TMIR4000-108A
Layout	ES108
Door Style	TMIR4000
Sidelite	FL100
Transom	FL100
Profile	¼" Kerf Cut Reveal
Wood Species	Resilient Wood
Finish	SW 2735 Rockweed
Glass	Clear



TruStile **Reserve**™

System Code	TMF1000-103A
Layout	ES103
Door Style	TMF1000
Sidelite	FL100
Wood Species	Plain Sawn White Oak
Finish	Nutmeg
Glass	Clear




TruStile **Reserve**™

System Code	TM9350-105A
Layout	ES105
Door Style	TM9350
Sidelite	FL100
Profile	¼" Kerf Cut Reveal
Wood Species	Walnut
Finish	Ebony
Glass	Clear


Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


Featured Modern Entry Systems in this Catalog




TMIR6001-102B
pg 10




TM3100-111B
pg 12




TMIR9001-108A
pg 13




TM9340-105C
pg 14




TMIR1002-102B
pg 15




TM6100-105A
pg 16




TMIR6000-106B
pg 17



TMIR4000-108A
pg 18




TMF1000-103A
pg 19




TM9350-105A
pg 20

See more door style options on pages 68-75.


Other Featured Modern Entry Systems




TMF1000-103B
pg 2




TMIR5101-103B
pg 68




TMF1000-102D
online




TM5100-105A
online




TM9160-102A
online




TM9310-111A
online




TMIR6080-108A
online



TM6001-ES102A
online



TM4000-105C
online



TM9000-108A
online



TRADITIONAL

CLASSIC

POLISHED

TIMELESS

TruStile **Resilient**™

System Code	TS3070-204A
Layout	ES204
Door Style	TS3070
Transom	FL100
Profile	QB Sticking/B Panel
Wood Species	Resilient Wood
Finish	SW 7069 Iron Ore
Glass	Clear

TRADITIONAL



TruStile **Reserve**™	
System Code	TS3000-109D
Layout	ES109
Door Style	TS3000
Sidelite	FL300
Transom	TRG100
Profile	QB Sticking/B Panel
Wood Species	Mahogany
Finish	Nutmeg
Glass	Clear

TRADITIONAL



TruStile **Reserve**™	
System Code	FL616-109C
Layout	ES109
Door Style	FL616
Sidelite	FL310
Transoms	TRG100 and TRG200
Profile	SS Sticking/C Panel
Wood Species	Plain Sawn White Oak
Finish	Hazelnut
Glass	Clear

TruStile **Reserve**™

System Code	TS6020-108D
Layout	ES108
Door Style	TS6020
Sidelite	TS3070
Transom	TRG600
Profile	OG Sticking/D Panel
Wood Species	Mahogany
Finish	Ebony
Glass	Clear

TruStile **Resilient**™

System Code	TS3100-109C
Layout	ES109
Door Style	TS3100
Sidelite	FL110
Transom	TRG100
Profile	OS Sticking/A Panel
Wood Species	Resilient Wood
Finish	SW 6990 Caviar
Glass	Clear



TruStile Reserve™


System Code	TS4060-504A
Layout	ES504
Door Style	TS4060
Transom	TRG110
Profile	CB Sticking/B Panel
Wood Species	Mahogany
Finish	Cinnamon
Glass	Clear

Choose One of Our **Featured Entry Systems**


TRADITIONAL

Designed by TruStile and ready to order through your local dealer.


Featured Traditional Entry Systems in this Catalog



TS3070-204A
pg 22




TS3000-109D
pg 24




FL616-109C
pg 25



TS6020-108D
pg 26




TS3100-109C
pg 27




TS4060-504A
pg 28

Other Featured Traditional Entry Systems




TS3300-108C
online




TS4000-105A
online




TS3280-104D
online



TS3160-504A
online



PL234-104C
online



TS4300-308C
pg 76

See more door style options on pages 68-75.



MODERN FARMHOUSE

FRESH

RELAXED

UPDATED

TruStile **Resilient**™

System Code	FL400-108C
Layout	ES108
Door Style	FL400
Sidelite	FL400
Transom	TRG400
Profile	BV Sticking
Wood Species	Resilient Wood
Finish	SW 9130 Evergreen Fog
Glass	Clear

TS4100 Interior Door Pair



TruStile Reserve™

System Code	FL1001-108C
Layout	ES108
Door Style	FL1001
Sidelite	FL501
Transom	TRG400
Profile	BV Sticking/C Panel
Wood Species	Quarter Sawn White Oak
Finish	Grey Mist
Glass	Clear



TruStile Reserve™

System Code	PL104-205C
Layout	ES205
Door Style	PL104
Sidelite	PL102
Profile	SS Sticking/C Panel
Wood Species	Plain Sawn White Oak
Finish	Grey Mist
Glass	Clear

MODERN FARMHOUSE



TruStile **Reserve**™


System Code	PL106-204A
Layout	ES204
Door Style	PL106
Transom	TRG100
Profile	SS Sticking/C Panel
Wood Species	Walnut
Finish	Amaretto
Glass	Clear

Choose One of Our **Featured Entry Systems**


MODERN FARMHOUSE

Designed by TruStile and ready to order through your local dealer.


Featured Modern Farmhouse Entry Systems in this Catalog




FL400-108C
pg 30



FL1001-108C
pg 32




PL104-205C
pg 33




PL106-204A
pg 34


Other Featured Modern Farmhouse Entry Systems




PL224-105C
online



FL300-204A
online



PL206-108C
online



PL119-106D
online

See more door style options on pages 68-75.



FRENCH COUNTRY

ORNATE

CHARMING

ELEGANT

TruStile **Reserve**™

System Code	TS5030-108D
Layout	ES108
Door Style	TS5030
Sidelite	FL110
Transom	TRG100
Profile	BV Sticking/A Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear

TruStile **Resilient**™

System Code	TS3160-201
Layout	ES201
Door Style	TS3160 (Common Arch Pair)
Profile	OG Sticking/B Panel
Wood Species	Resilient Wood
Finish	SW 6227 Meditative

TruStile **Reserve**™

System Code	TS4200-105C
Layout	ES105
Door Style	TS4200
Sidelite	TS3130
Profile	OG Sticking/B Panel
Wood Species	Mahogany
Finish	Caramel
Glass	Clear



TruStile **Resilient**™


System Code	TS5020-201
Layout	ES201
Door Style	TS5020 (Common Arch Pair)
Profile	OG Sticking/B Panel
Wood Species	Resilient Wood
Finish	SW 9580 Cracked Pepper
Glass	Beveled

Choose One of Our **Featured Entry Systems**


FRENCH COUNTRY

Designed by TruStile and ready to order through your local dealer.


Featured French Country Entry Systems in this Catalog




TS5030-108D
pg 36



TS3160-201
pg 38




TS4200-105C
pg 39




TS5020-201
pg 40


Other Featured French Country Entry Systems




FL800-108C
online



PL106-109C
online



PL109-102C
online



TS4000-108D
online

See more door style options on pages 68-75.



COASTAL*

BREEZY

WELCOMING

CASUAL

TruStile **Reserve**™

System Code	FL810-105C
Layout	ES105
Door Style	FL810
Sidelite	FL401
Profile	OG Sticking/B Panel
Wood Species	Mahogany
Finish	White Haze
Glass	Clear

* Architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.



TruStile **Reserve**™

System Code	TMP1000-107B
Layout	ES107
Door Style	TMP1000
Sidelite	DSG100
Transom	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Rift Sawn White Oak
Finish	White Haze
Glass	Clear



TruStile **Reserve**™

System Code	PL145-105C
Layout	ES105
Door Style	PL145
Sidelite	PL145
Profile	SS Sticking/VG Panel
Wood Species	Walnut
Finish	Slate
Glass	Clear




TruStile **Reserve**™

System Code	TS3130-109C
Layout	ES109
Door Style	TS3130
Sidelite	TS3130
Transom	TRG100
Profile	SS Sticking/C Panel
Wood Species	Rift Sawn White Oak
Finish	Grey Mist
Glass	Clear


Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.


Featured Coastal Entry Systems in this Catalog




FL810-105C
pg 42



TMP1000-107B
pg 44




PL145-105C
pg 45




TS3130-109C
pg 46


Other Featured Coastal Entry Systems




TM9250-115B
online



TS3070-106D
online



TS5000-102C
online



TS4140-108C
online

See more door style options on pages 68-75.



MEDITERRANEAN

WARM

VIBRANT

GRAND


TruStile **Reserve**™

System Code	PL145-201
Layout	ES201
Door Style	PL145
Profile	QB Sticking/VG Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear



TruStile **Reserve**™

System Code	TS3130-201
Layout	ES201
Door Style	TS3130
Profile	BM Sticking/B Panel
Wood Species	Walnut
Finish	Slate



TruStile **Reserve**™

System Code	VG3000-105C
Layout	ES105
Door Style	VG3000
Sidelite	TS3000
Profile	SS Sticking/VG Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear



MEDITERRANEAN

TruStile **Resilient**™


System Code	VG1000-101
Layout	ES101
Door Style	VG1000
Profile	Standard V-Groove
Wood Species	Resilient Wood
Finish	SW 6328 Fireweed

Choose One of Our **Featured Entry Systems**


MEDITERRANEAN

Designed by TruStile and ready to order through your local dealer.


Featured Mediterranean Entry Systems in this Catalog




PL145-201
pg 48



TS3130-201
pg 50




VG3000-105C
pg 51




VG1000-101
pg 52

See more door style options on pages 68-75.


Other Featured Mediterranean Entry Systems




TS8000-101
online



TS6080-105
online



VG2020-101
online



PL176-204A
online



CRAFTSMAN

AUTHENTIC

PRECISE

COMFORTING

TruStile **Reserve**™

System Code	PL333-105C
Layout	ES105
Door Style	PL333 (Small Dentil Bird Ledge)
Sidelite	PL130 (Small Dentil Bird Ledge)
Profile	SS Sticking/C Panel
Wood Species	Plain Sawn White Oak
Finish	Grey Mist
Glass	Clear

TruStile **Reserve**™

System Code	FL618-205C
Layout	ES205
Door Style	FL618 (Common Arch Pair)
Sidelite	FL315 (Common Arch Pair)
Profile	QR Sticking/B Panel
Wood Species	Mahogany
Finish	White Haze
Glass	Clear

TruStile **Resilient**™

System Code	PL236-109C
Layout	ES109
Door Style	PL236
Sidelite	PL104
Transoms	TRG200 and TRG300
Profile	SS Sticking/C Panel
Wood Species	Resilient Wood
Finish	SW 7006 Extra White
Glass	Clear



TruStile **Reserve**™


System Code	PL243-105C
Layout	ES105
Door Style	PL243 (Small Dentil Bird Ledge)
Sidelite	PL232 (Small Dentil Bird Ledge)
Profile	SS Sticking/C Panel
Wood Species	Rift Sawn White Oak
Finish	Hazelnut
Glass	White Lami

Choose One of Our **Featured Entry Systems**


CRAFTSMAN

Designed by TruStile and ready to order through your local dealer.


Featured Craftsman Entry Systems in this Catalog




PL333-105C
pg 54



FL618-205C
pg 56




PL236-109C
pg 57




PL243-105C
pg 58


Other Featured Craftsman Entry Systems




PL234-105C
online



PL136-108C
online



PL143-103C
online



PL343-102C
online

See more door style options on pages 68-75.



CAPE COD

HISTORIC

AMBITIOUS

STATELY

TruStile **Reserve**™

System Code	PL224-109C
Layout	ES109
Door Style	PL224
Sidelite	PL222
Transoms	TRG100
Profile	OG Sticking/A Panel
Wood Species	Rift Sawn White Oak
Finish	Ebony
Glass	Clear

CAPE COD



TruStile **Reserve**™	
System Code	PL106-308C
Layout	ES308
Door Style	PL106
Sidelite	PL103
Transom	TRG110
Profile	QR Sticking/A Panel
Wood Species	Plain Sawn White Oak
Finish	Hazelnut
Glass	White Lami

CAPE COD



TruStile **Reserve**™	
System Code	TS2210-105C
Layout	ES105
Door Style	TS2210
Sidelite	TS2210
Profile	CB Sticking/B Panel
Wood Species	Walnut
Finish	Champagne
Glass	Clear



TruStile Resilient™

System Code	PL224-101
Layout	ES101
Door Style	PL224
Profile:	CB Sticking/A Panel
Wood Species	Resilient Wood
Finish	SW 0018 Teal Stencil
Glass	Clear

Choose One of Our **Featured Entry Systems**


CAPE COD

Designed by TruStile and ready to order through your local dealer.


Featured Cape Cod Entry Systems in this Catalog




PL224-109C
pg 60



PL106-308C
pg 62




TS2210-105C
pg 63




PL224-101
pg 64


Other Featured Cape Cod Entry Systems




TS4140-105C
pg 75



TS5060-104D
online



PL109-109C
online




FL1000-308C
online

See more door style options on pages 68-75.


Entry System Layouts

Begin every project by selecting your entry system layout. From a single door, or a door and one sidelite, to a pair of doors with matching sidelites and transoms, this key will get you off to the right start.


SINGLE DOOR SYSTEMS



PAIRED DOOR SYSTEMS



ARCH- AND RADIUS-TOP SYSTEMS**



*ES101 and ES201 are available for TruStile Resilient™ Wood Entry Systems with no overhang applications.
**Arch- and radius-top systems are only available on TruStile Reserve™ Wood Entry Systems. VG door styles not available with radius or arch tops.












TruStile Reserve™ TMIR5101-103B
Mahogany with Slate finish, ¼" Kerf Cut Reveal, and White Lami Glass.

TRU&MODERN SERIES






TRU&MODERN FLUSH SERIES




Arrows indicate grain direction.

TRU&MODERN PLANK SERIES




TRU&MODERN INFINITE RAIL SERIES








TruStile Resilient™ FL400-108C
See page 31 for complete specs.

FRENCH LITE SERIES


FL100 FL101 FL102 FL103 FL110 FL111 FL112 FL113 FL200



FL210 FL260* FL262* FL300 FL301 FL302 FL304 FL305 FL306



FL310 FL314 FL315 FL316 FL360* FL362* FL400 FL401 FL410



FL411 FL420 FL421 FL430 FL431 FL440 FL450 FL460* FL462*



FL500 FL501 FL510 FL511 FL520 FL521 FL530 FL531 FL560*


*These styles only available as sidelites.



FL562* FL563* FL600 FL601 FL602 FL603 FL606


FL607 FL608 FL609 FL616 FL617 FL618 FL619



FL800 FL810 FL820 FL821 FL830 FL831 FL840


FL841 FL850 FL900 FL901 FL1000 FL1001 FL1010


FL1011 FL1020 FL1021 FL1030 FL1040 FL1041 FL1200


FL1210 FL1220 FL1221 FL1230 FL1231 FL1240 FL1241 FL1250


FL1300 FL1310 FL1400 FL1500 FL1501 FL1510 FL1511 FL1520


FL1521 FL1530 FL1531 FL1540 FL1800 FL1801 FL1810 FL1811


FL1820 FL1821 FL1830 FL1831

PANEL LITE SERIES


PL100

PL102

PL103

PL104

PL105

PL106

PL108

PL109


PL119

PL130

PL132


PL133

PL134

PL136

PL142

PL143


PL144

PL145

PL146

PL152

PL153

PL154

PL155

PL156


PL158

PL159

PL160

PL162

PL163

PL164

PL165

PL166


PL168

PL169

PL172

PL173

PL174

PL175

PL176

PL178

PL179

PL180

PL182

PL183

PL184

PL185

PL186

PL188

PL189

PL190

PL192

PL193

PL194

PL195

PL196

PL198

PL199

PL200

PL202

PL203

PL204

PL205

PL206

PL208

PL209

PL220

PL222

PL223

PL224

PL225

PL226

PL228

PL229

PL230

PL232

PL233

PL234

PL236

PL242

PL243

TruStile Resilient™ PL224-101
See page 64 for complete specs.

PL244

PL260

PL262

PL263

PL264

PL265

PL266

PL268

PL269

PL280

PL282

PL283

PL284

PL285

PL286

PL288

PL289

PL300

PL302

PL303

PL304

PL305

PL306

PL308

PL309

PL319

PL330

PL332

PL333

PL334


PL336

PL343

PL344

PL410

TRUSTILE SERIES


TS1000

TS1010

TS1030

TS1050

TS2000

TS2010

TS2020

TS2030


TS2040

TS2050

TS2060

TS2070

TS2080

TS2090

TS2130

TS2160


TS2170

TS2180

TS2190


TS2200

TS2210

TS2220

TS2230

TS2240


TS2250

TS2260

TS3000

TS3010

TS3020

TS3030

TS3040

TS3050


TS3060

TS3070

TS3080

TS3090

TS3100

TS3110

TS3120

TS3130

TS3140

TS3150

TS3160

TS3180

TS3190

TS3210

TS3220

TS3230

TS3240

TS3250

TS3260

TS3270

TS3280

TS3290

TS3300

TS3310

TS3320

TS3330

TS3340

TS3350

TS3260

TS3370

TS3380

TS4000

TS4010

TS4020

TS4030

TS4040

TS4050

TS4060

TS4070

TS4100

TS4110

TS4120

TS4130

TS4140

TS4170

TS4190

TS4200

TS4210

TS4220

TS4230

TS4250

TS4260

TS4270

TS4280

TS4290

TS4300

TS4310

TS5000

TS5010

TS5020

TS5040

TS5050

TS5060

TS5080

TS5090

TS5100

TS5110

TS5120

TS5130

TS5140

TS6000

TS6010

TS6020

TS6030

TS6040

TS6050

TS6070

TS6080

TS6090

TS6100

TS6110

TS6120

TS6130

TS6140

TS7000

TS7010

TS7020

TS8000

TS8010

TS8020

TS9000

TS9010

V-GROOVE SERIES

VG1000

VG1010

VG1030

VG2020

VG2030

VG2100

VG2150

VG3000

VG3020

TruStile Resilient™ TS3070-201
See page 23 for complete specs.

TruStile Reserve™ TS4140-105C with PL100 Sidelites.

Transoms

Select from this extensive collection of transoms to complement your entry door.



IN-SASH SQUARE TRANSOMS


Available in 1- to 18-lites.





ARCH- AND RADIUS-TOP TRANSOMS


Available only for TruStile Reserve™





DIRECT SET SIDELITES AND TRANSOMS

Maximize the amount of natural light available.



Direct set cross section


DSG100

Sidelites

Select from this extensive collection of sidelites to complement your entry door. Many panel doors available with glass options.



ONE-LITE IN-SASH SIDELITES



FL100


A one-lite in-sash sidelite is a classic look that brings natural light into your entrance.

Order sidelites with stiles and rails as narrow as 1-⅞".



COMPLEMENTARY SIDELITES

We offer a wide selection of sidelites to complement your door style.




FL400 PL142 PL103 FL362



MATCHING DOOR SIDELITES

Many door styles are available as a matching sidelite.



TS3130 PL100 TS5000 TM9340

Note: Most door styles on pages 68-75 can be selected as a sidelite.




Resilient™ and Reserve™ Wood Entry Systems Construction


In collaboration with our parent company, Marvin™, we have engineered a family of premium entry systems that don't just transform a space, but how you feel inside it.

TruStile Entry Systems have been extensively tested and proven in partnership with the Marvin™ Research and Development team.

Reserve™ Wood Entry System



Resilient™ Wood Entry System



Wood Performance Every Home Can Rely On

Learn more about the innovative, durable materials used in making our entry systems.

As the sister brand to Accoya®, Tricoya® is an acetylated wood panel product that achieves the same ultra-high levels of durability and stability in the most extreme and challenging climates and outdoor applications. Tricoya is used as a stable core material within the Reserve™ Wood Entry system and a durable, paintable surface layer of our Resilient™ Entry system.

- Doesn't shrink or swell like other wood products
- Superior paintability and consistent surface across the entire door
- Complies with CARB 93120 for No Added Formaldehyde

Accoya® is an acetylated, modified wood product that is unsurpassed when it comes to durability, stability and withstanding the test of any climate.

As part of the TruStile Resilient™ Entry System, Accoya® is used for the core and frame components for durability, stability, and superior rot resistance.

- Doesn't shrink or swell like other wood species
- 100% real wood. A sustainable and durable material
- Solid wood core provides superior screw holding on door edge



So, What is Acetylation?

Acetylation is a process used to enhance the naturally-occuring properties of wood. In simple terms, it 'pickles' the wood, reducing how much water the cells in the wood can absorb.


It does this without adding toxic chemicals to the final product, but by boosting the concentration of 'acetyl groups' — which are already found naturally in trees and their wood.

More specifically, the process uses acetic anhydride to change hydroxyl groups (which like water) into acetyl groups (which don't like water), resulting in improved performance characteristics without introducing harmful or environmentally unfriendly additives.


Altogether, this means the wood shrinks and swells much less when wet, and is much less susceptible to decay or insect attack. The finished product is highly durable and dimensionally stable, outperforming all known species of wood.

Profile Options

Panel Profiles




Raised (A) Panel




Scoop (B) Panel
Also available with bladder-press panel




Flat (C) Panel




Double Hip (D) Panel



Senior Raised (E) Panel



Senior Bevel (F) Panel



Standard V-Groove (VG) Panel

Sticking Profiles



Square Stick (SS) Sticking



Roman Ogee (OG) Sticking



One Step (OS) Sticking



Quarter Bead (QB) Sticking



Quarter Round (QR) Sticking



Bevel (BV) Sticking



Cove & Bead (CB) Sticking


Applied Mouldings




Cove (CV) Applied Moulding



Low Profile Bolection (LP) Moulding




Bolection (BM)
Moulding




Big Bolection (BB)
Moulding


Simulated Divided Lite Bars (SDL)




Square Stick (SS) SDL Glass




Roman Ogee (OG) SDL Glass




One Step (OS) SDL Glass




Quarter Bead (QB) SDL Glass



Quarter Round (QR) SDL Glass




Bevel (BV) SDL Glass




Cove & Bead (CB) SDL Glass


True Divided Lite Bars (TDL)




Square Stick (SS) TDL Glass




Roman Ogee (OG) TDL Glass




One Step (OS) TDL Glass




Quarter Bead (QB) TDL Glass



Quarter Round (QR) TDL Glass



Bevel (BV) TDL Glass




Cove & Bead (CB) TDL Glass

Frame Profile and Mull Construction

All Reserve™ frame parts undergo a wood dip treatment to protect against fungus and insects. Resilient™ frames don't require dipping.


FRAME OPTIONS	UNIFRAME MULL POST OPTIONS

Single Rabbet Frame
with Back-to-Back Mull Posts




Default for all door applications

Single Rabbet Frame
with 4⅝" Uniframe Mull Posts




Double Rabbet Frame
with Back-to-Back Mull Post



Accommodates screen door applications

Single Rabbet Frame
with 6⅝" Uniframe Mull Posts



Double Rabbet Frame, Uniframe, and Screen Doors are available in Reserve™ only

Wood Species for Reserve™ Entry Systems

The Reserve™ Wood Entry System elevates the refined elegance of your home with the beauty of stained natural wood. Available in 10 natural wood species with an extensive collection of premium factory stain options.



Consider the Resilient™ Wood Entry System for paint-grade applications.



Mahogany



Genuine Mahogany



Cherry



Douglas Fir *(Vertical Grain)*



Select Alder



Walnut



Plain Sawn White Oak



Quarter Sawn White Oak



Rift Sawn White Oak



Clear Pine

Paint-Grade Mahogany and Paint-Grade Douglas Fir not shown.

Stain Options

TruStile uses stains from ICA, a leading European finish manufacturer, for factory-finished entry systems. We begin by applying either a clear or tinted base stain with UV inhibitors (unfinished doors also get this base coat). Then a total of five coats of finish are applied. This includes two seal coats and three topcoat layers of finish giving a robust dry film finish thickness. Slight color and sheen differences might occur between interior and exterior finishes.



For White Oak: *Choose rift sawn, plain sawn or quarter sawn. Plain sawn White Oak shown.*

The color of the finish can vary depending on the color of the wood, lighting on the job site, and natural exposure to oxidation and sunlight. To get the best example of the stain color on a specific species, please visit your TruStile dealer.

Hinge Options

Choose from ten standard hinge finishes or select an option from Emtek® or Baldwin®.


US3 Bright Brass


US19 Flat Black


US5 Antique Brass


US4 Satin Brass


US10A Antique Bronze


10B Oil-Rubbed Bronze


US14 Polished Nickel


US15 Satin Nickel



US15A Antique Nickel



US26 Polished Chrome



US26D Satin Chrome


Sill Options


Choose from one of five standard sill options to complete your entry system.


Oak Adjustable


Hydrosill


ADA


Solid Wood*


Solid Wood with Brass Interlock*

** Only available on TruStile Reserve™ Wood Entry Systems. Solid Wood Sills available in Genuine Mahogany and Plain Sawn White Oak.*

Multipoint Lock Option

TruStile offers an automatic locking system from GU-Secury which is required for certain warranty coverage. See website for details. trustile.com/entry-systems/resources

Insulated Glass Options

Complete your grand entrance with one of our many insulated glass options, including LoE and several decorative patterns.


Clear (LoE 272)*


Frosted

White Lami



Aqualite



Bevel


Single Glue Chip


Obscure


Rain


English Reeded


Wavy Seedy (Glacier)

** Clear glass also available as LoE 366, LoE 340, LoE 180, Low Iron and Clear Lami.*

Comparison of Resilient™ and Reserve™ Wood Entry Systems

	Reserve™ Wood Entry Systems	Resilient™ Wood Entry Systems	Resilient™ Wood Entry Systems No Overhang Required
Door Style	Over 500 standard door styles	Over 500 standard door styles	Over 500 standard door styles
Maximum Door Size	42" × 120" Single unit 84" × 120" Pair unit (42" leaf)*	42" × 96" Single unit 84" × 96" Pair unit (42" leaf)*	42" × 96" Single unit 72" x 96" Pair unit (36" leaf)*
System Layouts	All options available	All options available, except arched or radius top	ES101 and ES201 only
Finish	Factory prime, stained finish or user applied	Factory primed for field applied paint	Factory primed for field applied paint
Overhang Requirements	Industry standard overhang requirements**	Reduced overhang requirements**	No overhang requirements**
Limited Warranty	5 year factory primed or finished; 3 year unfinished***	10 year***	10 year***
Maintenance	Top coat finish should be inspected annually and re-applied as needed	Painted finish should be inspected annually and re-applied as needed	Painted finish should be inspected annually and re-applied as needed
Dark Finishes/Paint	Not warrantied for door movement	Warrantied when ordered with factory multi-point lock	Warrantied when ordered with factory multi-point lock
Wood Screen/Storm Door	Available	Not available	Not available
Sills	Five different still options available	Three different sill options available	Hydrosill™
Multipoint Lock	GU-Secury Automatic multipoint lock available	GU-Secury Automatic multipoint lock available	GU-Secury Automatic multipoint lock required for pairs

**As of January 2023; size minimums may expand. Visit trustile.com/construction/entry-door for latest offering.*
***Refer to page 87 for overhang requirements. ***Additional requirements may apply, please refer to TruStile warranty.*

Note: Exterior doors not available for commercial projects.


Industry-Leading Warranty Coverage

TruStile Wood Entry Systems come backed with industry-leading warranty coverage. Door systems that are factory finished by TruStile are warrantied to be free from manufacturing defects for 5 years from date of purchase for the Reserve™ Wood Entry System and 10 years from date of purchase for the Resilient™ Wood Entry System depending on application and specifications. Door systems purchased raw and unfinished are warrantied to be free from manufacturing defects for 3 years from date of purchase. Due to its aging characteristics, Alder door systems are warrantied for 1 year from date of purchase. Please see **trustile.com/warranties** for specific detail warranty information for each product.

Requirements for Warranty Coverage


Your TruStile Entry Door should be viewed as a piece of well-engineered fine furniture. Careful steps have been taken to design the product to perform in proper exterior openings. However, finishes and natural wood both weather and break down over time. This weathering process increases with greater exposure to the elements. TruStile Wood Entry systems, like those sold by other manufacturers, require proper overhang protection to meet warranty requirements *(see diagram below for details)*. Proper overhang helps to protect both the finish and the natural wood from moisture and UV damage. Even with proper overhang, the topcoat of any stained natural wood door must be inspected annually and reapplied during early signs of fading. Maintaining the topcoat will maximize the life of your natural wood door and is also required to maintain TruStile warranty coverage.

Overhang Requirements



Standard Overhang


Required for Reserve™ Wood Entry System warranty coverage



Reduced Overhang

Required for warranty coverage on:

- Resilient™ Wood Entry System with sidelites and/or transoms
- Resilient™ single and pair units with oak adjustable sill
- Resilient™ pair units without multi-point locks



No Overhang Required

Warranty coverage available for Resilient™ single and pair units meeting the following:


- Hydrosill™ required
- 3′6 × 8′0 maximum single door width
- 6′0 × 8′0 maximum pair width
- Multi-point lock required for no overhang coverage on pairs

Door Design Tool

Configure multiple doors and organize them by project.

Export door schedules, drawings or CAD files to import into your plans


Create multiple doors and organize them by project



Over 500 door styles to customize to your needs — available as interior or exterior, pre-hung units or slabs.

An accurate preview is continually updated as you make changes to your door design.

TruStile's exclusive web-based software allows you to design your own custom doors. Specify the height, width and location of all components within a door.



Share Your Project with Other Apps

Door Design Tool projects can be exported as a door schedule that opens directly in Microsoft® Excel, as a PDF of drawings or CAD models to import directly into your plans.

www.trustile.com/designtool





See page 45 for product specs.

TRŪSTILE®

A MARVIN BRAND

trustile.com

1111 E 71st Avenue
Denver, CO 80229
877.283.4511

© 2023 TruStile Doors, LLC. All rights reserved.

Cover photo: TMIR1002-102B in Walnut Ebony. ¼" Kerf Cut Reveal with Clear Glass.

V020223