



Major New TruQuote Release and Product Option Update

TRUSTILE®
DRIVEN BY DESIGN®

TruQuote Updates

1. Opening Types – Slab Only, Swing & Sliding
2. Leaf Count
3. Jamb
4. Astragal
5. Astragal Type
6. Door Bevel
7. Bevel Both Sides Active, Hinge Side Inactive
8. Layout Configuration – Arched Pair
9. Hinge Pilot Hole Option
10. Magnetic Catch TruStile Supplied Option
11. Hinges & Magnetic Catch Machining Prep Option
12. Solid Poplar Jamb Stop Option
13. Non-Rated House to Garage Jamb Option
14. Composite Sill for House to Garage Jamb
15. Tool Tips
16. Updated Defaults

Opening Type

Quote SQEXD003069-1

Print Order Information Rapid Change Copy Import Export Delete Open Docs Quote Information Saberis Export Order Audit DDT Import

On-Behalf-Of: Wiggly Doors

Quote Name: Meeting

Version: 1

Pricing Items

☐ Use customer's configuration profile

Item Selection

Item: TruStile Door

Quantity: 1 EA

Description:

Price: On Configuration Label:

Configuration Options

Opening Type *	Slab Only	Leaf Count *	Single	Jamb *	None	Handing *	Unknown Handing	Door Beveling *	No Bevel
Door Style *	TS2020	Material *	MDF	Sticking *	OG-Roman Ogee	Panel *	A-Raised	Gross Width (In) *	30
Pre-Fit Width *	3/16"	Net Width (In) *	29 13/16	Height (In) *	80	Thickness *	1-3/4"	Panel Substitution *	None
LVL Stiles *	No	Machining Prep *	None	Door Top *	Square	LVL Rails *	No	Fire Rating *	Non-rated

Advanced Options Add Reset selected options Named Configurations

Opening Type



Opening Types – Slab Only (No machining or jambs), Swing & Sliding

Quote SQEXD003069-1

[Print](#)
[Order Information](#)
[Rapid Change](#)
[Copy](#)
[Import](#)
[Export](#)
[Delete](#)
[Open Docs](#)
[Quote Information](#)
[Saberis Export](#)
[Order Audit](#)
[DDT Import](#)

On-Behalf-Of: Wiggly Doors

Quote Name: Meeting

Version: 1

Pricing

Items

Item Selection

☐ Use customer's configuration profile

Item: TruStile Door

Description:

Quantity: 1 EA

Price: On Configuration Label:

Configuration Options

Opening Type *	<input type="lock"/> Slab Only	Leaf Count *	<input type="lock"/> Single	Jamb *	<input type="lock"/> None	Handing *	<input type="lock"/> Unknown Handing	Door Beveling *	<input type="lock"/> No Bevel
Door Style *	<input type="lock"/> Slab Only	Material *	<input type="lock"/> MDF	Sticking *	<input type="lock"/> OG-Roman Ogee	Panel *	<input type="lock"/> A-Raised	Gross Width (In) *	<input type="lock"/> 30
Pre-Fit Width *	<input type="lock"/> Sliding	Net Width (In) *	<input type="lock"/> 29 13/16	Height (In) *	<input type="lock"/> 80	Thickness *	<input type="lock"/> 1-3/4"	Panel Substitution *	<input type="lock"/> None
LVL Stiles *	<input type="lock"/> No	Machining Prep *	<input type="lock"/> None	Door Top *	<input type="lock"/> Square	LVL Rails *	<input type="lock"/> No	Fire Rating *	<input type="lock"/> Non-rated

[Advanced Options](#)
[Add](#)
[Reset selected options](#)
[Named Configurations](#)

Slab Only default - Adding Jamb or Machining will change Opening Type to Swing

Quote SQEXD003069-1

[Print](#)
[Order Information](#)
[Rapid Change](#)
[Copy](#)
[Import](#)
[Export](#)
[Delete](#)
[Open Docs](#)
[Quote Information](#)
[Saberis Export](#)
[Order Audit](#)
[DDT Import](#)

On-Behalf-Of: Wiggly Doors

Quote Name: Meeting

Version: 1

Pricing

Items

Item Selection

☐ Use customer's configuration profile

Item: TruStile Door

Description:

Quantity: 1 EA

Price: On Configuration

Label:

Configuration Options

Opening Type *	Swing	Leaf Count *	Single	Jamb *	Prehung	Handing *	Unknown Handing	Door Beveling *	Bevel Lock Side
Door Style *	TS2020	Material *	MDF	Sticking *	OG-Roman Ogee	Panel *	A-Raised	Gross Width (In) *	30
Pre-Fit Width *	3/16"	Net Width (In) *	29 13/16	Height (In) *	80	Thickness *	1-3/4"	Panel Substitution *	None
LVL Stiles *	No	Jamb Opening Type **	Interior	Jamb Construction **	Flat	Machining Prep *	Hinges/Lock Bore	Jamb Material **	Finger Joint Poplar (P)
Jamb Width **	4-9/16	Hinge Finish **	US10B-Oil Rubbed Br	Jamb Stop Profile **	Ogee	Door Top *	Square	LVL Rails *	No
Fire Rating *	Non-rated								



Previous selections have been modified. Please verify selections.

[Advanced Options](#)
[Add](#)
[Reset selected options](#)
[Named Configurations](#)

Opening Type

Advanced Options



Price: 329.00 USD

[Main](#)
[Parts](#)
[Machining](#)
[Custom](#)
[Door Mark](#)



Opening Type:

Leaf Count:

Jamb:

Door Handing:

Door Beveling:

Door Style:

Door Top:

Door Grade:

Panel Substitution:

Material & Fire Rating

Material:

Fire Rating:

Dimensions


Gross Width (In):

Pre-Fit Width: ☒ None ☐ 1/8" ☐ 3/16" ☐ 1/4"

Net Width (In):

Height (In):

Thickness: ☒ 1-3/8" ☐ 1-3/4" ☐ 2-1/4" ☐ Custom




Material

MDF

Fire Rating

Non-rated

Gross Width (In)	<input type="text" value="30"/>
Pre-Fit Width	<input checked="" type="radio"/> None <input type="radio"/> 1/8" <input type="radio"/> 3/8"
Net Width (In)	<input type="text" value="30"/>
Height (In)	<input type="text" value="80"/>



Advanced Options



Price: 1,046.00 USD

[Main](#)
[Parts](#)
[Machining](#)
[Jamb](#)
[Custom](#)
[Door Mark](#)
[Drawings](#)



Opening Type:

Leaf Count:

Jamb:

Door Handing:

Astragal:

Door Beveling- Inactive:

Door Beveling- Active:

Door Style:

Door Grade:

Panel Substitution:

Material & Fire Rating

Material:

Fire Rating:



Dimensions

Gross Width (In):

Pre-Fit Width: ☒ 3/16"

Net Width (In):

Height (In):



Advanced Options



Price: 1,154.00 USD

[Main](#)
[Parts](#)
[Machining](#)
[Jamb](#)
[Custom](#)
[Door Mark](#)
[Drawings](#)



Opening Type	Swing
Leaf Count	Pair
Jamb	Knockdown
Door Handing	RH Active in Pair
Astragal	Astragal Supplied
Astragal Type	Standard T-Astragal
Door Beveling- Inactive	Standard T-Astragal
Door Beveling- Active	Bevel Lock Side
Door Style	TS2020
Door Grade	Interior
Panel Substitution	None

Material & Fire Rating


Material	MDF
Fire Rating	Non-rated

Dimensions


Gross Width (In)	30
Pre-Fit Width	3/16"
Net Width (In)	29 13/16



Select a Value




Standard T-Astragal



Square T-Astragal

Cancel



✕

Price: 1,154.00 USD

Door Beveling- Inactive

Door Beveling- Active

Material

MDF


Fire Rating

Non-rated

Gross Width (In)

Pre-Fit Width ☒ 3/16"

Net Width (In)



Bevel Both Sides Active, Hinge Side Inactive

Advanced Options



Price: 794.00 USD

[Main](#)
[Parts](#)
[Machining](#)
[Custom](#)
[Door Mark](#)



Opening Type:

Leaf Count:

Jamb:

Door Handing:

Door Beveling- Active:

Door Beveling- Inactive:

Door Style:

Door Grade:

Panel Substitution:

Material & Fire Rating

Material:



Fire Rating:

Dimensions

Thickness: ☐ 1-3/8" ☒ 1-3/4" ☐ 2-1/4" ☐ Custom

Profiles

Sticking:



Layout Configuration – Common Arched Pair (default)

Advanced Options



Price: 1,306.00 USD

[Main](#)
[Parts](#)
[Machining](#)
[Jamb](#)
[Custom](#)
[Door Mark](#)
[Drawings](#)





Opening Type	Swing
Leaf Count	Pair
Jamb	Knockdown
Door Handing	RH Active in Pair
Astragal	Astragal Supplied
Astragal Type	Square T-Astragal
Door Beveling- Inactive	No Bevel
Door Beveling- Active	Bevel Lock Side
Door Style	TS1030
Layout Configuration	Common Arched Pair
Door Top	Standard
Door Grade	Interior
Panel Substitution	None

Material & Fire Rating

Material	MDF
Fire Rating	Non-rated

Dimensions

Gross Width (In)	30
Pre-Fit Width	3/16"



✕

Price: 2,524.00 USD

Hinge Pilot Hole Option

Main Parts **Machining**

Machining Prep Hinges Only

Hinge Prep ☐ Standard ☒ **Modified** ☐ Custom

Hinge Supplier Not Supplied - Prep Only

Hinge Type ☒ Standard Hinge ☐ Spring Hinge
☐ Concealed Hinge

Hinge Brand Other

Size 3-1/2" x 3-1/2"

Quantity (Per Leaf) 3

Hinge 1 Location (From Top Of Door) 7 1/4

Hinge 2 Location (From Top Of Door) 36 3/4

Hinge 3 Location (From Top Of Door) 66 1/4

Hinge Backset 1/4"

Hinge Thickness 0.120"

Hinge Corner Square

Hinge Description

Main Parts Machining Custom **Door Mark** Drawings

Hinge Brand Other

Size 3-1/2" x 3-1/2"

Quantity (Per Leaf) 3

Hinge 1 Location (From Top Of Door) 7 1/4

Hinge 2 Location (From Top Of Door) 36 3/4

Hinge 3 Location (From Top Of Door) 66 1/4

Hinge Backset 1/4"

Hinge Thickness 0.120"


Hinge Corner Square

Hinge Description

Hinge Pilot Holes ☒ Yes ☐ No

Pilot Hole Template Location

Magnetic Catch – TruStile Supplied Option



Prep For Hardware = Machining Only

TruStile Supplied = Hardware ships with unit

E.g.: In a bag attached to the jamb

TruStile Installed = Hardware ships installed in the unit

E.g.: Ball Catches, Hinges, etc.

TruStile Shipped = Hardware ships separate from the unit




From TruStile or direct from Vendor

E.g.: Simonswerk Tectus Hinges

Magnetic Catch – TruStile Supplied Option

 **Modify Line 1**



 Finish  Cancel  Save  Save & Close  Print Detail

Price: 1,021.00 USD


Main Parts **Machining** Jamb Custom Door Mark Drawings

Magnetic Catch TruStile Supplied

Brand Precision

Model PLS24PRO

Template PLS24PRO

Backset from Edge (Centerline) 2 3/4 

Magnet Jamb Offset 15/16

Auto Door Bottom - Mortise ☐ Custom ☒ None

Concealed Closer - Track Only ☐ Custom ☒ None

Concealed Overhead Stop ☐ Custom ☒ None

Edge Pull ☐ Custom ☒ None

Exit Device - Mortise w/Function Holes ☐ Custom ☒ None

Exit Device - Rim Function Holes ☐ Custom ☒ None

Flush Bolt - Auto Top & Bottom ☐ Custom ☒ None

Flush Bolt - Auto Top Only ☐ Custom ☒ None

Door Base Price	311.00
Door Style Adder	18.00
A Panel Adder	0.00
Magnetic Catch Prep	8.00
Magnetic Catch Hardware	26.00
Number of Leafs	2
Total Door List Price	726.00
Total Door Net Price	726.00
Base Jamb Price	302.00
Prehanging Adder	-22.00
Jamb Opening Type Adder	0.00
Jamb Top Adder	0.00
Magnetic Catch Jamb Prep	15.00
Total Jamb List Price	295.00
Total Jamb Net Price	295.00
Grand Total List Price	1,021.00
Grand Total Net Price	1,021.00

Hinges & Magnetic Catch Machining Prep option

Quote SQEXD003069-1

Print Order Information Rapid Change Copy Import Export Delete Open Docs Quote Information Saberis Export Order Audit DDT Import

On-Behalf-Of: Wiggly Doors

Quote Name: Meeting

Version: 1

Pricing Items

Item Selection

☐ Use customer's configuration profile

Item: TruStile Door Description: Quantity: 1 EA Price: On Configuration Label:

Configuration Options

Opening Type*	Swing	Leaf Count*	Pair	Jamb*	None	Handing*	Unknown Handing	Door Beveling*	No Bevel
Door Style*	TS2020	Material*	MDF	Sticking*	OG-Roman Ogee	Panel*	A-Raised	Gross Width (In)*	30
Pre-Fit Width*	3/16"	Net Width (In)*	29 13/16	Height (In)*	80	Thickness*	1-3/4"	Panel Substitution*	None
LVL Stiles*	No	Machining Prep*	Hinges & Magnetic Catch	Door Top*	Square	LVL Rails*	No	Fire Rating*	Non-rated

Advanced Options Add Reset selected options Named Configuration

- None
- Hinges Only
- Hinges/Lock Bore
- Hinges/Lock & Deadbolt Bore
- Hinges & Magnetic Catch**
- Hinges & Ballcatch
- Hinges/Mortise Lock
- Hinges, Hotel Lock, & Viewer
- Hinges, Hotel Lock, Viewer, & Auto Door Bottom
- Flush Pull & Bottom Guide
- Hinges & Rim Exit Device
- Advanced Options
- Custom Machining Prep

Hinge Pilot Hole Option

Advanced Options



Price: 495.00 USD

[Main](#)
[Parts](#)
[Machining](#)
[Jamb](#)
[Custom](#)
[Door Mark](#)
[Drawings](#)

Machining Prep Hinges/Lock Bore

Hinges ☐ Standard ☒ Modified ☐ Custom

Hinge Supplier TruStile Supplied

Hinge Type ☒ Standard Hinge ☐ Square Barrel
☐ Spring Hinge ☐ Concealed Hinge

Hinge Brand Trustile

Hinge Material Plated Steel

Finish US10B-Oil Rubbed Bronze

Size 3-1/2" x 3-1/2"

Quantity (Per Leaf) 3

Hinge 1 Location (From Top Of Door) 7 1/4

Hinge 2 Location (From Top Of Door) 36 3/4

Hinge 3 Location (From Top Of Door) 66 1/4

Hinge Backset 1/4"

Hinge Thickness 0.120"

Hinge Corner Square

Hinge Pilot Holes ☒ Yes ☐ No

Door Base Price	311.00
Door Style Adder	18.00
A Panel Adder	0.00
Hinge Pilot Hole Prep Adder	7.00
Total Door List Price	336.00
Total Door Net Price	218.40
Base Jamb Price	174.00
Prehanging Adder	-15.00
Jamb Opening Type Adder	0.00
Jamb Prep Adder	0.00
Jamb Top Adder	0.00
Total Jamb List Price	159.00
Total Jamb Net Price	103.35
Grand Total List Price	495.00
Grand Total Net Price	321.75

Modified Required
~ \$2.00 LIST per Hinge

Hinge Pilot Hole Option

Advanced Options



Continue Cancel Save Save & Close Print Detail

Price: 7.00 USD

Main Parts Machining



Hinge Supplier TruStile Supplied

Hinge Type

☒ Standard Hinge ☐ Square Barrel
☐ Spring Hinge ☐ Concealed Hinge

Hinge Brand

Other - Special Order

Size

3-1/2" x 3-1/2"

Quantity (Per Leaf)

3

Hinge 1 Location (From Top Of Door)

7 1/4

Hinge 2 Location (From Top Of Door)

36 3/4

Hinge 3 Location (From Top Of Door)

66 1/4

Hinge Backset

1/4"

Hinge Thickness

0.123"

Hinge Corner

Square

Hinge Description

Hinge Pilot Holes ☒ Yes ☐ No

Selecting Pilot Holes for these hinges will require a machine sheet.

Lock Bore Location (From Bottom Of Door)

36

Hinge Pilot Hole Prep Adder

7.00

A machining sheet will be required for all hinges except the TruStile, Emtek, Baldwin & Tectus we carry.

Hinge Pilot Hole Option

Advanced Options



Continue Cancel Save Save & Close Print Detail

Price: 7.00 USD

Main Parts Machining

Hinge Supplier TruStile Supplied

Hinge Type
☒ Standard Hinge ☐ Square Barrel
☐ Spring Hinge ☐ Concealed Hinge

Hinge Brand
Other - Special Order

Size
3-1/2" x 3-1/2"

Quantity (Per Leaf)
3

Hinge 1 Location (From Top Of Door)
7 1/4

Hinge 2 Location (From Top Of Door)
36 3/4

Hinge 3 Location (From Top Of Door)
66 1/4

Hinge Backset
1/4"

Hinge Thickness
0.123"

Hinge Corner
Square

Hinge Description

Hinge Pilot Holes ☒ Yes ☐ No

Selecting Pilot Holes for these hinges will require a machine sheet.

Lock Bore Location (From Bottom Of Door) 36


Hinge Pilot Hole Prep Adder

7.00

A machining sheet will be required for all hinges except the TruStile, Emtek, Baldwin & Tectus we carry.

Simonswerk Tectus Concealed Hinges will force to Hinge Pilot Holes as these are done as standard with our standard concealed hinge offering.

Opening Type	Interior
Jamb Fire Rating	Non-Rated
Jamb Profile	Flat
Jamb Thickness	Standard (3/4" Net)
Jamb Edge	<input checked="" type="radio"/> Radius <input type="radio"/> Square
Jamb Width	4-9/16
Jamb Material	Poplar (Paint-Grade)
FSC Certified	<input type="radio"/> Yes <input checked="" type="radio"/> No
Jamb Construction	Solid
Jamb Joinery (Jamb/Stop)	Rabbit/Miter
Jamb Stop Profile	Ogee
Jamb Stop Material	Poplar (Paint-Grade) Finger Joint Poplar (Paint-Grade) (Pr Poplar (Paint-Grade) Custom Species
Kerf	
Lock Bore Strike	
Jamb Leg Extension	7/8"
Jamb Prefinish	Unfinished



Jamb Fire Rating – Non-Rated Option

Advanced Options



Finish
 Cancel
 Save
 Save & Close
 Print Detail

Price: 989.00 USD

[Main](#)
[Parts](#)
[Machining](#)
[Jamb](#)
[Custom](#)
[Door Mark](#)
[Drawings](#)



Jamb Options

Opening Type: House to Garage

Jamb Fire Rating: Non-Rated

Jamb Profile: Non-Rated
20 Minute

Jamb Thickness: Standard (3/4" Net)

Jamb Edge: ☒ Radius ☐ Square

Kerf for Weather Strip: Yes

Weatherstripping: Bronze

Jamb Width: 4-9/16

Jamb Material: Poplar (Paint-Grade)

FSC Certified: ☐ Yes ☒ No

Jamb Construction: Solid


Jamb Joinery (Jamb/Stop): Rabbet/Miter

Sill and Sweep: Oak Adjustable Sill (Bronze Finish)

Lock Bore Strike: Radius Lip Strike

Jamb Leg Extension: 1-5/8"

Jamb Prefinish: Unfinished



Sill and Sweep – Composite Adjustable Sill Options

Advanced Options



Finish Cancel Save Save & Close Print Detail

Price: 989.00 USD

Main Parts Machining Jamb Custom Door Mark Drawings



Jamb Options

Opening Type: House to Garage

Jamb Fire Rating: Non-Rated

Jamb Profile: Non-Rated
20 Minute

Jamb Thickness: Standard (3/4" Net)

Jamb Edge: ☒ Radius ☐ Square

Kerf for Weather Strip: Yes

Weatherstripping: Bronze

Jamb Width: 4-9/16

Jamb Material: Poplar (Paint-Grade)

FSC Certified: ☐ Yes ☒ No

Jamb Construction: Solid


Jamb Joinery (Jamb/Stop): Rabbet/Miter

Sill and Sweep: Oak Adjustable Sill (Bronze Finish)

Lock Bore Strike: Radius Lip Strike

Jamb Leg Extension: 1-5/8"

Jamb Prefinish: Unfinished




✕

Price: 989.00 USD

Custom lamb

Non-Rated defaults to Oak Adjustable Sill



20 Minute with Composite Adjustable Sill

Advanced Options



Finish Cancel Save Save & Close Print Detail

Price: 1,073.00 USD

Main Parts Machining Jamb Custom Door Mark Drawings



Jamb Options

Opening Type House to Garage

Jamb Fire Rating 20 Minute

Jamb Profile Non-Rated 20 Minute

Jamb Thickness Standard (3/4" Net)

Jamb Edge ☒ Radius ☐ Square

Kerf for Weather Strip Yes

Weatherstripping Bronze

Jamb Width 4-9/16

Jamb Material Poplar (Paint-Grade)

FSC Certified ☐ Yes ☒ No

Jamb Construction Solid

Jamb Joinery (Jamb/Stop) Rabbet/Miter


Sill and Sweep Composite Adjustable Sill (Bronz...

Lock Bore Strike Radius Lip Strike

Jamb Leg Extension 1-27/32"

Jamb Prefinish Unfinished

20 Minute defaults to Composite Adjustable Sill



Tool Tips – Hover over highlighted questions for guidance

Main Parts Machining Custom Door Mark

Opening Type Slab Only ▼

Leaf Count Single ▼

Jamb None

Do Choose Opening Type = Swing for Jamb Options ▼

Door Covering NO COVER ▼

Door Style TS2020 🔍

Changing defaults to 1-3/4", SS, C-Flat

Advanced Options



Price: 400.00 USD

Main Parts Machining Custom Door Mark



Opening Type:

Leaf Count:

Jamb:

Door Handing:

Door Beveling:

Door Style:

Door Grade:

Panel Substitution:

Material & Fire Rating

Material:

Fire Rating:

Dimensions

Thickness: ☐ 1-3/8" ☒ 1-3/4" ☐ 2-1/4" ☐ Custom

Profiles

Sticking:

Panel:



Panel Thickness:

Construction

LVL Stiles: ☐ Yes ☒ No

LVL Top/Bottom Rails: ☐ Yes ☒ No

Top Wedge: ☐ Yes ☒ No



Tool Tips- Hovering Over Shaded Fields Reveals Helpful Tips

Modify Line 1 - Bedroom

Finish Cancel Save Save & Close Print Detail Price: 1,399.00 USD

Main Parts Machining Custom Door Mark Drawings

Opening Type: Slab Only

Leaf Count: Single

Jamb (Highlighted with red box)

Choose Opening Type = Swing for Jamb Options

Door Style: TM1000

Door Top: Square

Door Grade: Interior

Panel Substitution: Add Full Height Mirror to 1 side

Mirror Side Of Door: ☐ Outside ☒ Inside

Material & Fire Rating

Material: Mahogany

Fire Rating: Non-rated

Dimensions

Width (In): 35

Height (In): 80

Thickness: ☐ 1-3/8" ☒ 1-3/4" ☐ 2-1/4" ☐ Custom

Profiles

Sticking: SS Covered Stick

Technical drawings showing door dimensions and mirror placement:

- Outside view: 35" width, 80" height, 7 1/2" side jamb, 9" top and bottom.
- Inside view: 62" height, 9" bottom, Mirror label.
- Side view: 1-3/4" thickness, 1/4" mirror depth, 3/4" bottom.
- Detail: Stop Mirror Inside, LH, Outside.